



Where there is an open mind and a willing heart, there is a path to healing

Duet Water Revitalizer

Results of testing performed by the Advanced Health Clinic; Farmington, UT 2013

The Advanced Health Clinic conducted the following tests with a variety of clients to determine the biological effects of water made using the Duet Water Revitalizer.



BIOCOMMUNICATION SCAN

The ZYTO Scan is classified as a BioCommunication device that uses galvanic skin response (electro-dermal screening) to measure the body's reaction to changes in its environment. Anything (food, water, supplements, emotions etc.) that results in greater coherence, indicates that the body "prefers" this energy or treatment. ZYTO software is capable of measuring hundreds of parameters. Our testing looked at 20 organs and systems of the body for 6 clients, before and 1 hour after drinking one 12-oz glass of water treated in the Duet.

We chose to take measurements *before and 1 hour after* drinking water from the Duet, to delineate between short-term changes and balance that was *retained* by those tested. Impressively, water from the Duet brought lasting balance to a significant number of the organs and systems we measured—shown in the graphics that follow.

The first graphic shows how 9 of the 20 parameters we measured were initially out of balance for a 56-year-old female of below average health (see small grey dots representing the small intestine, large intestine, lymphatic system, peripheral nervous system, heart, central nervous system, pancreas, skin and lungs – moving in a clockwise direction from the 12-o'clock position). One hour after drinking water made in the Duet, 8 of these parameters had become balanced (Green dots). One area (small intestine) still remained out of balance (red dot).

The second graphic shows how 8 of the 20 parameters we measured were initially out of balance for a 48-year-old female of average health (see small grey dots representing the large intestine, kidneys, skin, central nervous system, lungs, stomach, Joints/connective tissue, and spleen - moving in a clockwise direction from the 12-o'clock position). One hour after drinking water made in the Duet, 4 of these areas had become balanced (Green dots). Four areas were still out of balance.





Where there is an open mind and a willing heart, there is a path to healing


Heart Rate Variability testing

Heart Rate Variability (HRV) testing is a medically approved diagnostic system designed to access the state of health in an individual by evaluating the Autonomic Nervous System. It provides an accurate assessment of physical health based on the nervous system's ability to regulate the person's physiology and adaptation to stress. Complex amounts of information are distilled into two numbers. The top number (1-13) represents the level of function of the physiological systems where 1 is best and 13 is worst. The bottom number (1-7) represents adaptability—the system's ability to adapt to stress (1 is best; 7 is worst). For example, an athlete in prime physical condition might measure 2/1. Elderly individuals with multiple health problems might measure 11/6. These numbers can be charted as shown in the graphic below where the top number is graphed on the horizontal axis and bottom number is graphed on the vertical axis. The small yellow diamond represents the resulting level of health/fitness.

The following two graphs show before and after health index scores for a 40-year-old male of average health. Over the course of 6 weeks, he replaced the amount of water he was accustomed to drinking with water made in the Duet. His health index improved from 10/4 to 7/3. This is dramatic improvement, illustrating the potential of highly energized, structured water.

NERVEXPRESS

Assessment of the Physical Fitness Level



Assessment of the transition period

Min HR - 62



Max HR - 96

Chronotropic reaction 0.64

HR (supine) / Max HR

Compensation response 0.74

Min HR / Max HR


Ortho-Test Ratio 1.29

HR (supine) / HR (upright)

Conclusion :

CHRONOTROPIC REACTION SLIGHTLY DECREASES IN RESPONSE TO ORTHOTEST WHILE VASCULAR COMPENSATION DECREASES MODERATELY

Graphical Presentation of the Physical Fitness



1/1 - The best Physical Fitness

13/7 - The worst Physical Fitness

■ - Athletic zone


■ - Normal zone

■ - Below normal

◆ - Current Physical Fitness

Physical Fitness Level - 10/4

Assessment of the Physical Fitness Level



Assessment of the transition period

Min HR - 59




Max HR - 94

Chronotropic reaction	0.61
HR (supine) / Max HR	
Compensation response	0.67
Min HR / Max HR	
Ortho-Test Ratio	1.29
HR (supine) / HR (upright)	

Conclusion :

TRANSITION IS CLOSE TO THE NORMAL PARAMETERS

Graphical Presentation of the Physical Fitness



13 Levels of Functioning of the Physiological systems

1/1 - The best Physical Fitness

13/7 - The worst Physical Fitness

- - Athletic zone
- - Normal zone
- - Below normal
- ◆ - Current Physical Fitness

Physical Fitness Level - 7/3



Where there is an open mind and a willing heart, there is a path to healing

Bio Impedance Analysis

Bio Impedance Analysis (BIA) also called Body Composition Analysis has the ability to measure the water in the human body. It is very difficult to improve the level of intracellular water (water retained *inside* the cells of the body). In our experience, only strict diet and/or detoxification have facilitated improvement in the level of intracellular water. We were delighted to find that, although progress was slow, all 4 clients in this study made improvements in their level of intracellular water over a period of 6 weeks—without dietary changes.

Conclusions

We have been very impressed -- both with the rapid/sustained balancing of many organs and systems and with the continued improvement in health as measured using Heart Rate Variability, ZYTO Scan testing, and Bio-Impedance Analysis. All patients made significant, measureable improvement. Some patients showed impressive progress over the course of 6 weeks.

Our work reveals that structured water made in the Duet Water Revitalizer provides substantial, underlying support for the entire organism. Not only do those who drink this kind of water require fewer supplements to acquire and maintain balance, they also appear to show gradual improvement in overall health. When water, alone, can provide this degree of support, we are impressed and our work becomes much easier.

Martha Bray, FNP-BC, APRN

Martha Bray, FNP-BC, APRN
Holistic Family Nurse Practitioner
Manager, Advanced Health Clinic



Lisa Larson, LMT

Lisa Larson, LMT
Office Coordinator
Manager, Advanced Health Clinic